

MATERIAL SAFETY DATA SHEET CARBON BLACK

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

 CHEMICAL NAME: CARBON BLACK
 GENERAL CHARACTERISTICS: CARBON BLACK IS COMPOSED OF 90 ~ 99% OF C, OTHERS ARE 02 AND H2
 USAGE: RAW MATERIALS OF TIRE, RUBBER, and PAINT INDUSTRY

COMPOSION/INFORMATION ON INGREDIENTS

NAME: CARBON BLACK
 CAS NO: 1333-86-4
 % BY WT: APPROX. 100%

HAZARDS IDENTIFICATION

- **1).** EYE: CARBON BLACK DUST MAY CAUSE IRRITATION OF THE EYE.
- 2). SKIN CONTACT: NOT IRRITATING
- 3). SKIN ABSORTION: UNLIKELY TO OCCUR. CARBON BLACK IS DRY SOLID
- 4). INGESTION: NO KNOWN SPECIFIC EFFECTS
- **5). INHALATION:** CARBON BLACK MAY BE IRRITATING TO THE LUNGS AT HIGH DUST LEVELS
- 6). TARGET ORGANS: LUNGS AND RESPIRATORY SYSTEM

FIRST AID MEASURES

- EYE: FLUSH WITH WATER
 SKIN: WASH WITH WATER AND MILD SOAP OR WATERLESS CLEANER
 INGESTION: ENTRY BY MOUTH IS NOT LIKELY TO PRODUCE ADVERSE EFFECTS
- 4). INHALATION: REMOVE TO FRESH AIR

Corporate Office: B-254, Sanjay Building No. 5, Mittal Industrial Estate, Andheri Kurla Road, Andheri East, Mumbai – 400059, India info@ganpatiexim.com www.ganpatiexim.com



FIRE FIGHTING MEASURES

 FLASH POINT: 500°C OVER
 IGNITION IN AIR: 900°C.
 IEL/UEL: NOT APPLICABLE
 EXTINGUISHING MEDIA: WATER SPRAY. NORMAL FOG OR NOZZLE JET APPLICATION AND/OR EXCLUSION OF AIR
 UNUSUAL FIRE HARZARD: CARBON MONOXIDE AND CARBON DIOXIDE ARE EMITTED WHEN RNING.

IT MAY NOT BE OBVIOUS THAT CARBON BLACK IS BURNING UNLESS IT IS STIRRED AND SPARKS ARE APPARENT

ACCIDENTAL RELEASE MEASURES

 VACUUM, SWEEP OR SPRAY WITH WATER AND COLLECT IN A DISPOSAL CONTAINER
 SPILLED CARBON BLACK IS NOT A HARZARD WASTE.
 DISPOSED OF IN ACCORDANCE WITH EUROPEAN NATIONAL AND LOCAL LAWS AND REGULATIONS

HANDLING AND STORAGE

 KEEP IN CLOSED CONTAINERS. PREVENT EXPOSURE TO OPEN FLAMES AND STRONG OXIDIZERS.
 TEST FOR CARBON MONOXIDE AND OXYGEN BEFORE ENTRY INTOCONFINED SPACES. WEAR APPROPRIATE RESPIRATOR FOR EXPOSURE TO CARBON MONOXIDE,

CARBON DIOXIDE OR LACK OF OXYGEN. **3).** AVOID CREATING DUST. CLEAN UP ALL SPILLS PROMPTLY

EXPOSURE CONTROLS/PERSONAL PROTECTION

1). RESPIRATORY PROTECTION: NONE REQUIRED IN NORMAL HANDLING.WEAR APPROVED RESPIRATORY FOR NUISANCE DUST IN ACCORDANCE WITH EUROPEAN, NATIONAL AND LOCAL LAWS AND REGULATION WHEN DUST LEVELS EXCEED THE RECOMMENDED EXPOSURE LIMIT.

2). PERSONAL PROTECTIVE EQUIPMENT: GLOVE - NOT REQUIRED EYE/FACE - NOT REQUIRED PROTECTIVE CLOTHING - NOT REQUIRED

3). ENGINEERING CONTROLS: RECOMMENDED ADEQUATE VENTILATION TO MAINTAIN EXPOSURE LEVELS BELOW THE RECOMMENDED EXPOSURE LIMIT.FOR VENTILATION CONSIDERATIONS.

Corporate Office: B-254, Sanjay Building No. 5, Mittal Industrial Estate, Andheri Kurla Road, Andheri East, Mumbai – 400059, India info@ganpatiexim.com www.ganpatiexim.com



PHYSICAL/CHEMICAL PROPERTIES

- 1). APPEARANCE: AMORPHOUS BLACK SOLID
- 2). ODOR: NONE
- **3).** PH: 6 ~ 8
- **4).** BOILING POINT: 4200°C
- 5). VAPOR PRESSURE: NOT APPLICABLE
- 6). SOLUBILITY IN WATER: NOT APPLICABLE
- 7). SPECIFIC GRAVITY: 1.7 ~ 2.1
- **8). VISCOSITY: NOT APPLICABLE**

STABILITY AND REACTIVITY

 STABILITY; STABLE
 INCOMPATIBILITY: MATERIALS - STRONG OXIDIZERS SUCH AS CHLORATE, BROMATES, NITRATES CONDITIONS - EXWSSIVE HEAT OR FLAME
 HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE AND CARBON DIOXIDE WHEN BURNING
 HAZARDOUS POLYERIZATION: WILL NOT OCCUR

TOXICOLOGICAL INFORMATION

 EYE: ACUTE - MILD IRRITANT, CHRONIC - MILD IRRITANT
 SKIN: ACUTE - NONE EXPECTED, CHRONIC - NONE EXPECTED
 INGESTION: ACUTE - NONE EXPECTED, CHRONIC - NONE EXPECTED
 INHALATION: ACUTE - DUST CONCENTRATIONS ABOVE THE PERMISSIBLE EXPOSURE LIMIT MAY CAUSE TEMPORARY UPPER RESPIRATORY TRACT DISCOMFORT.

ECOLOGICAL INFORMATION

NO NEGATIVE ECOLOGICAL EFFECTS HAVE BEEN NOTED

DISPOSAL CONSIDERATIONS

CARBON BLACK IS NOT CLASSIFIED AS A TOXIC OR DANGEROUS WASTE. BURY OR BURN IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.

Corporate Office: B-254, Sanjay Building No. 5, Mittal Industrial Estate, Andheri Kurla Road, Andheri East, Mumbai – 400059, India info@ganpatiexim.com www.ganpatiexim.com



TRANSPORT INFORMATION

CARBON BLACK IS NOT HAZARDOUS MATERIAL FOR U.S. DEPARTMENT OF TRANSPORTATION SHIPPING. NO DOT LABEL REQUIRED. CARBON BLACK (MINERAL ORIGINS) IS NOT RESRICTED BY THE INTERNATIONAL MARITIME DANGEROUS GOODS CODE.

REGULATORY INFORMATION

U.S. TOXIC SUBSTANCES CONTROL ACT (TSCA)_ EUROPEAN INVENTORY OF EXISTING CHEMICAL SUBSTANCES (EINECS) CANADIAN DOMESTIC SUBSTANCES LIST (DSL) AUSTRALIAN INVENTIRY OF CHEMICAL SUBSTANCES (AICS) JAPANESE MINISTRY OF INTERNATIONAL TRADE AND INDUSTRY (MITI) KOREAN TOXIC CHEMICALS CONTROL LAW (TCCL)

OTHER INFORMATION

OTHER APPLICABE GRADES OF CARBON BLACK ARE N220 N234 N326 N330 N339 N375 N550 N650 N660 N762 N772 N774. PACKING IS IN THE FORM OF 20KG KRAFT PAPER BAG WITH PP BAG INSIDE.

